<u>APPENDIX</u>

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS:

Claims 13 and 19 are canceled.

The claims are amended as follows:

(Amended) A benzimidazole compound represented by the following formula
(I) or a salt thereof:

$$R^{1} \xrightarrow{N} X \xrightarrow{L \left(\stackrel{O}{C} \right)_{m}} N \xrightarrow{A}_{R^{3}}$$

wherein, R¹ represents one or more functional groups on the benzene ring selected from the group consisting of <u>a</u> hydrogen atom, a halogen atom, a lower alkyl group, and a lower alkoxy group; R² represents <u>a</u> hydrogen atom, an alkyl group, or an acyl group; R³ represents one or more functional groups on the ring containing the nitrogen atom and A; A represents O or CH2 or CH which forms a double bond with an adjacent carbon atom; L represents a C₄-C₈ alkylene group or an ethyleneoxy linking group represented by (CH₂CH₂O)_nCH₂CH₂ wherein n represents 1 or 2; X represents O, S or methylene group; and m represents 0 or 1.

- 4. (Amended) The compound or a salt thereof according to any one of Claimsclaim 1-to 3, wherein each of R^1 and R^2 represents a hydrogen atom.
- 5. (Amended) The compound or a salt thereof according to any one of Claims 1 to 4claim 1, wherein L is a C₄-C₈ alkylene group.

7

Response to Response/Election Requirement U.S. APPLN. NO. 10/019,249

- 6. (Amended) The compound or a salt thereof according to any one of Claims 1 to 4claim 1, wherein L is a C₅ or C₆ alkylene group.
- 10. (Amended) The compound or a salt thereof according to any one of Claims 7 to 9claim 7, wherein R¹³ is a functional group selected from the group consisting of <u>a</u> hydrogen atom, an alkyl group, a hydroxyalkyl group, an aryl group, <u>a</u> hydroxy group, and <u>a</u> cyano group.
- 11. (Amended) The compound or a salt thereof according to any one of Claims 7 to 10claim 7, wherein L^1 is a C_5 or C_6 alkylene group.
- 12. (Amended) A medicament pharmaceutical composition comprising the a compound according to any one of Claims 1 to 11 represented by the following formula (I)

$$\mathbb{R}^{1} \xrightarrow{\underset{\mathbb{R}^{2}}{\bigvee}} \mathbb{X} - \mathbb{L} - \overset{0}{\mathbb{C}} - \mathbb{N} \overset{A}{\underset{\mathbb{R}^{3}}{\bigvee}}$$

wherein, R¹ represents one or more functional groups on the benzene ring selected from the group consisting of a hydrogen atom, a halogen atom, a lower alkyl group, and a lower alkoxy group; R² represents a hydrogen atom, an alkyl group, or an acyl group; R³ represents one or more functional groups on the ring containing the nitrogen atom and A; A represents CH₂, or CH which forms a double bond with an adjacent carbon atom; L represents a C₄-C₈ alkylene group or an ethyleneoxy linking group represented by (CH₂CH₂O)_nCH₂CH₂ wherein n represents 1 or 2; X represents O, S or methylene group; and m represents 0 or 1, or a physiologically acceptable salt thereof as an active ingredient, and a pharmaceutical additive.

Response to Response/Election Requirement U.S. APPLN. NO. 10/019,249

- 14. (Amended) The medicament according to Claim 12 or 13, which is used for preventive and/or therapeutic treatment A method for the prevention and/or treatment of hyperlipidemia which comprises administering an effective amount of a composition according to claim 12 or 21 to a mammal.
- 15. (Amended) The medicament according to Claim 12 or 13, which is used for preventive and/or therapeutic treatment of A method for preventing and/or treating arteriosclerosis which comprises administering an effective amount of a composition according to claim 12 or 21 to a mammal.
- 16. (Amended) The medicament according to Claim 12 or 13, which is used as an agent A method for suppressing foaming of a macrophage which comprises administering an effective amount of a composition according to claim 12 or 21 to a mammal.
- 17. (Amended) The medicament according to Claim 12 or 13, which is used as an agent A method for retracting arterial sclerosis lesions which comprises administering an effective amount of a composition according to claim 12 or 21 to a mammal.
- 18. (Amended) The medicament according to Claim 12 or 13, which is used as an agent A method for inhibiting formation of arterial sclerosis lesions which comprises administering an effective amount of a composition according to claim 12 or 21 to a mammal.
- 20. (Amended) A method for preventive preventing and/or treatment treating of arteriosclerosis, which comprises the step of administering a preventively and/or therapeutically an effective amount of the compound a composition according to any one of Claims 1 to 11 claim 12 or 21 or a physiologically acceptable salt thereof to a mammal including human.

Claim 21 is added.